



Sadrettin YILDIZ



TSEK

PRODUCT CATALOGUE



20 SERIES (ISO- 4 BOLTS)
BIDIRECTIONAL
GEAR PUMP

20 SERIES (ISO- 4 BOLTS) BIDIRECTIONAL GEAR PUMP						
PRODUCT CODE	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
22149006	6,10	280	3000	G 1/2"	G 1/2"	6
22149010	10,20	280	3000	G 1/2"	G 1/2"	6,5
22149016	16,20	280	3000	G 1/2"	G 1/2"	7
22149020	20,20	260	3000	G 1/2"	G 1/2"	7,4
22149025	25,30	220	3000	G 3/4"	G 3/4"	7,6
22149032	32,30	190	2800	G 3/4"	G 3/4"	8
22149040	40,10	180	2800	G 3/4"	G 3/4"	8,5

20 SERIES (UNI- 3 BOLTS) BIDIRECTIONAL GEAR PUMP						
PRODUCT CODE	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
22139006	6,10	280	3000	G 1/2"	G 1/2"	4
22139010	10,20	280	3000	G 1/2"	G 1/2"	4,5
22139016	16,20	280	3000	G 1/2"	G 1/2"	5
22139020	20,20	260	3000	G 1/2"	G 1/2"	5,3
22139025	25,30	220	3000	G 3/4"	G 3/4"	5,6
22139032	32,30	190	2800	G 3/4"	G 3/4"	6
22139040	40,10	180	2800	G 3/4"	G 3/4"	6,5



20 SERIES (UNI- 3 BOLTS)
BIDIRECTIONAL
GEAR PUMP



30 SERIES (ISO- 4 BOLTS)
GEAR PUMP
(CW or CCW ROTATION)

30 SERIES (ISO- 4 BOLTS) GEAR PUMP(CW or CCW ROTATION)						
PRODUCT CODE (CCW or CW)	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
22247017/22248017	17,20	300	2800	G 3/4"	G 1/2"	12
22247027/22248027	27,30	300	2800	G 3/4"	G 1/2"	12
22247034/22248034	33,80	285	2600	G 3/4"	G 1/2"	12,5
22247043/22248043	43,80	280	2300	G 1"	G 3/4"	13
22247051/22248051	51,70	230	2300	G 1"	G 3/4"	13,5
22247061/22248061	61,90	220	2000	G 1"	G 3/4"	13,5
22247073/22248073	73,10	200	2000	G 1 1/4"	G 1 "	14
22247082/22248082	82,10	200	1900	G 1 1/4"	G 1 "	14,5
22247101/22248101	100,5	200	1900	G 1 1/4"	G 1 "	15,5



30 SERIES
(UNI- 3 BOLTS) GEAR PUMP
(CW or CCW ROTATION)

30 SERIES (UNI- 3 BOLTS) GEAR PUMP(CW or CCW ROTATION)						
PRODUCT CODE (CCW or CW)	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT (kg)
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
22237017/22238017	17,20	300	2800	G 3/4"	G 1/2"	10
22237027/22238027	27,30	300	2800	G 3/4"	G 1/2"	10,5
22237034/22238034	33,80	285	2600	G 3/4"	G 1/2"	11
22237043/22238043	43,80	280	2300	G 1"	G 3/4"	11,5
22237051/22238051	51,70	230	2300	G 1"	G 3/4"	12
22237061/22238061	61,90	220	2000	G 1"	G 3/4"	12
22237073/22238073	73,10	200	2000	G 1 1/4"	G 1 "	12,5
22237082/22238082	82,10	200	1900	G 1 1/4"	G 1 "	12,5
22237101/22238101	100,5	200	1900	G 1 1/4"	G 1 "	13

30 SERIES (ISO- 4 BOLTS) BIDIRECTIONAL GEAR PUMP						
PRODUCT CODE	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT (kg)
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
22249017	17,20	300	2800	G 1/2"	G 1/2"	11
22249027	27,30	300	2800	G 3/4"	G 3/4"	11,5
22249034	33,80	285	2600	G 3/4"	G 3/4"	12
22249043	43,80	280	2300	G 1"	G 1"	12,5
22249051	51,70	230	2300	G 1"	G 1"	13
22249061	61,90	220	1900	G 1"	G 1"	13,5
22249082	82,10	200	1700	G 1 1/4"	G 1 1/4"	14



30 SERIES (ISO- 4 BOLTS)
BIDIRECTIONAL
GEAR PUMP



30 SERIES (UNI- 3 BOLTS)
BIDIRECTIONAL
GEAR PUMP

30 SERIES (UNI- 3 BOLTS) BIDIRECTIONAL GEAR PUMP						
PRODUCT CODE	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT (kg)
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
22239017	17,20	300	2800	G 1/2"	G 1/2"	9
22239027	27,30	300	2800	G 3/4"	G 3/4"	9,5
22239034	33,80	285	2600	G 3/4"	G 3/4"	10
22239043	43,80	280	2300	G 1"	G 1"	10,5
22239051	51,70	230	2300	G 1"	G 1"	11
22239061	61,90	220	1900	G 1"	G 1"	11,5
22239082	82,10	200	1700	G 1 1/4"	G 1 1/4"	12

GEAR PUMP

GEAR PUMP



**35 SERIES
(ISO- 4 BOLTS)
BIDIRECTIONAL GEAR PUMP**

35 SERIES (ISO- 4 BOLTS) BIDIRECTIONAL GEAR PUMP						
PRODUCT CODE	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
22349060	62,50	230	2200	G 1"	G 1"	17
22349090	90,20	230	2200	G 1 1/4"	G 1 1/4"	19
22349110	113,20	200	2200	G 1 1/4"	G 1 1/4"	19



**35 SERIES
(UNI- 3 BOLTS)
BIDIRECTIONAL GEAR PUMP**

35 SERIES (UNI- 3 BOLTS) BIDIRECTIONAL GEAR PUMP						
PRODUCT CODE	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
22339060	62,50	230	2200	G 1"	G 1"	17
22339090	90,20	230	2200	G 1 1/4"	G 1 1/4"	17
22339110	113,20	200	2200	G 1 1/4"	G 1 1/4"	18



**40 SERIES (ISO- 4 BOLTS)
GEAR PUMP
(CW or CCW ROTATION)**

40 SERIES (ISO- 4 BOLTS) GEAR PUMP(CW or CCW ROTATION)						
PRODUCT CODE (CCW or CW)	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
22447063/22448063	63,20	275	2600	G 1"	G 3/4"	19
22447073/22448073	73,10	270	2600	G 1"	G 3/4"	20
22447087/22448087	87,20	260	2600	G 1 1/4"	G 1"	21,2
22447109/22448109	109,00	235	2600	G 1 1/4"	G 1"	22,5
22447133/22448133	132,90	225	2400	G 1 1/2"	G 1"	23,5
22447151/22448151	151,00	180	2400	G 1 1/2"	G 1"	24



40 SERIES
(UNI- 3 BOLTS) GEAR PUMP
(CW or CCW ROTATION)

40 SERIES (UNI- 3 BOLTS) GEAR PUMP(CW or CCW ROTATION)						
PRODUCT CODE (CCW or CW)	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT (kg)
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
22437063/22438063	63,20	275	2600	G 1"	G 3/4"	17,5
22437073/22438073	73,10	270	2600	G 1"	G 3/4"	18
22437087/22438087	87,20	260	2600	G 1 1/4"	G 1"	18
22437109/22438109	109,00	235	2600	G 1 1/4"	G 1"	20
22437133/22438133	132,90	225	2400	G 1 1/2"	G 1"	21
22437151/22438151	151,00	180	2400	G 1 1/2"	G 1"	21,5



GEAR PUMP WITH SHAFT
& PNEUMATIC VALVE
BI-DIRECTIONAL

GEAR PUMP WITH SHAFT & PNEUMATIC VALVE - BI-DIRECTIONAL						
PRODUCT CODE	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT (kg)
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
22659043	43	230	1900	G 1 1/4"	G 1"	16
22659061	61	230	1900	G 1 1/4"	G 1"	17
22659082	82	230	1900	G 1 1/4"	G 1"	19
22659109	109	210	1800	G 1 1/4"	G 1"	25



GEAR PUMP WITH SHAFT
& MECHANIC VALVE
BI-DIRECTIONAL

GEAR PUMP WITH SHAFT & MECHANIC VALVE - BI-DIRECTIONAL						
PRODUCT CODE	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT (kg)
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
22669043	43	230	1900	G 1 1/4"	G 1"	16
22669061	61	230	1900	G 1 1/4"	G 1"	17
22669082	82	230	1900	G 1 1/4"	G 1"	19
22669109	109	210	1800	G 1 1/4"	G 1"	25

TANDEM PUMP

TANDEM PUMP



TANDEM GEAR PUMP
(ISO- 4 BOLTS- CW or
CCW ROTATION)

TANDEM GEAR PUMP (ISO- 4 BOLTS- CW or CCW ROTATION)					
PRODUCT CODE (CCW or CW)	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED		
22547063/22548063	63,20	275	2600	G 1"	G 3/4"
22547073/22548073	73,10	270	2600	G 1"	G 3/4"
22547087/22548087	87,20	260	2600	G 1 1/4"	G 1"
22547109/22548109	109,00	235	2600	G 1 1/4"	G 1"
22547133/22548133	132,90	225	2400	G 1 1/2"	G 1"
22547151/22548151	151,00	180	2400	G 1 1/2"	G 1"

TANDEM GEAR PUMP (UNI- 3 BOLTS- CW or CCW ROTATION)

PRODUCT CODE (CCW or CW)	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED		
22537063/22538063	63,20	275	2600	G 1"	G 3/4"
22537073/22538073	73,10	270	2600	G 1"	G 3/4"
22537087/22538087	87,20	260	2600	G 1 1/4"	G 1"
22537109/22538109	109,00	235	2600	G 1 1/4"	G 1"
22537133/22538133	132,90	225	2400	G 1 1/2"	G 1"
22537151/22538151	151,00	180	2400	G 1 1/2"	G 1"



TANDEM GEAR PUMP
(UNI- 3 BOLTS- CW or
CCW ROTATION)



TANDEM GEAR PUMP WITH
TRACTOR SHAFT (ISO- 4
BOLTS- CW or CCW ROTATION)

TANDEM GEAR PUMP WITH TRACTOR SHAFT (ISO- 4 BOLTS- CW or CCW ROTATION)

PRODUCT CODE (CCW or CW)	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED		
22577063/22578063	63,20	275	2600	G 1"	G 3/4"
22577073/22578073	73,10	270	2600	G 1"	G 3/4"
22577087/22578087	87,20	260	2600	G 1 1/4"	G 1"
22577109/22578109	109,00	235	2600	G 1 1/4"	G 1"
22577133/22578133	132,90	225	2400	G 1 1/2"	G 1"
22577151/22578151	151,00	180	2400	G 1 1/2"	G 1"

NOTE: THESE PUMP VOLUMES SHOW THE FIRST PUMP DISPLACEMENT. PLEASE INDICATE THE SECOND PUMP CAPACITY WHILE ORDERING



30 SERIES TRACTOR SHAFT GEAR PUMP-(ISO- 4 BOLTS)
(CW or CCW ROTATION)

30 SERIES TRACTOR SHAFT GEAR PUMP-(ISO- 4 BOLTS) (CW or CCW ROTATION)						
PRODUCT CODE (CCW or CW)	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
22677017/22678017	17,20	280	3000	G 1/2"	G 1/2"	10,5
22677027/22678027	27,30	280	3000	G 3/4"	G 3/4"	11
22677034/22678034	33,80	270	2700	G 3/4"	G 3/4"	11,5
22677043/22678043	43,80	265	2400	G 1"	G 3/4"	12
22677051/22678051	51,70	220	2400	G 1"	G 1"	12,5
22677061/22678061	61,90	215	2100	G 1"	G 1"	13
22677082/22678082	82,10	200	1900	G 1 1/4"	G 1"	14

40 SERIES TRACTOR SHAFT GEAR PUMP (ISO- 4 BOLTS)(CW or CCW ROTATION)						
PRODUCT CODE (CCW or CW)	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
22677063/22678063	63,20	260	2600	G 1"	G 3/4"	19
22677073/22678074	73,10	260	2600	G 1"	G 3/4"	20
22677087/22678087	87,20	250	2600	G 1 1/4"	G 1"	21
22677109/22678109	108,20	240	2600	G 1 1/4"	G 1"	22,5
22677133/22678133	132,90	220	2400	G 1 1/4"	G 1"	23,5
22677151/22678151	152,10	180	2400	G 1 1/4"	G 1"	24



40 SERIES TRACTOR SHAFT GEAR PUMP (ISO- 4 BOLTS)
(CW or CCW ROTATION)



KAWASAKI B 70-40
MACHINE PUMPS



KAWASAKI B 70-55
MACHINE PUMPS



KAWASAKI B 70-110
MACHINE PUMPS

KAWASAKI B 70 MACHINE PUMPS						
PRODUCT CODE	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
22680040	40	280	2500	M24x1.5	M24x1.5	6
22680055	55	230	1500			17
22680110	110	230	1500			25

PISTON PUMP

PISTON PUMP



BENT AXIS
PISTON PUMP
(ISO- 4 BOLTS)

BENT AXIS PISTON PUMP (ISO- 4 BOLTS)						
PRODUCT CODE (CCW or CW)	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT (kg)
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
44747035/44748035	35,40	430	2400	G 1 1/4"	G 3/4"	8
44747045/44748045	45,60	430	2100	G 1 1/4"	G 3/4"	8
44747055/44748055	55,20	430	2000	G 1 1/4"	G 3/4"	9
44747065/44748065	64,20	410	2000	G 1 1/4"	G 3/4"	10
44747085/44748085	85,20	400	1900	G 1 1/2"	G 1"	12,5
44747105/44748105	105,70	380	1700	G 1 1/2"	G 1"	12,5

AXIAL 9 PISTON PUMP (ISO- 4 BOLTS) -BI-DIRECTIONAL HEAVY DUTY						
PRODUCT CODE	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT (kg)
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
33949060	60,30	300	2000	G 1 1/4"	G 1"	20
33949070	70,10	300	2000	G 1 1/4"	G 1"	20
33949080	81,10	300	2000	G 1 1/4"	G 1"	20
33949090	90,20	290	2000	G 1 1/4"	G 1"	20
33949100	99,85	270	2000	G 1 1/4"	G 1"	20

AXIAL 9 PISTON PUMP (ISO- 4 BOLTS) -BI-DIRECTIONAL MEDIUM DUTY						
PRODUCT CODE	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT (kg)
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
33941060	60,30	230	2000	G 1 1/4"	G 1"	20
33941070	70,10	230	2000	G 1 1/4"	G 1"	20
33941080	81,10	220	2000	G 1 1/4"	G 1"	20
33941090	90,20	210	2000	G 1 1/4"	G 1"	20
33941100	99,85	210	2000	G 1 1/4"	G 1"	20



AXIAL 9 PISTON PUMP
(ISO- 4 BOLTS)
BI-DIRECTIONAL



AXIAL 6 PISTON PUMP
(ISO- 4 BOLTS)
BI-DIRECTIONAL

AXIAL 6 PISTON PUMP (ISO- 4 BOLTS) -BI-DIRECTIONAL						
PRODUCT CODE	DISPLACEMENT	MAX. WORK	MAXIMUM	INLET	OUTLET	WEIGHT (kg)
	cm ³ /rev at 1000 rpm	PRESSURE (bar)	SPEED			
33649032	32	300	2000	G 1 1/4"	M22x1.5	13
33649040	40	300	2000	G 1 1/4"	M22x1.5	13
33649052	52	300	2000	G 1 1/4"	M22x1.5	13

HYDRAULIC TIPPING VALVES

HYDRAULIC TIPPING VALVES



TIPPING VALVE
140lt - OPEN LOOP
4 HOLES MOUNT



TIPPING VALVE
140lt - OPEN LOOP
4 HOLES MOUNT



TIPPING VALVE
140lt - OPEN LOOP
3 HOLES MOUNT

PRODUCT CODE: 66140410			PRODUCT CODE: 66140420			PRODUCT CODE: 66140430		
TIPPING VALVE 140lt - OPEN LOOP 4 HOLES MOUNT			TIPPING VALVE 140lt - OPEN LOOP 4 HOLES MOUNT			TIPPING VALVE 140lt - OPEN LOOP 3 HOLES MOUNT		
FLOW RATE	WORKING PRESSURE	MAX. PRESSURE	FLOW RATE	WORKING PRESSURE	MAX. PRESSURE	FLOW RATE	WORKING PRESSURE	MAX. PRESSURE
140lt/m	180 bar	210 bar	140lt/m	180 bar	210 bar	140lt/m	180 bar	190 bar
WEIGHT: 5 KG			WEIGHT: 5 KG			WEIGHT: 4 KG		



TIPPING VALVE 180lt
CLOSED LOOP
3 HOLES MOUNT



TIPPING VALVE 180lt
CLOSED LOOP
3 HOLES MOUNT



TIPPING VALVE 140lt
SINGLE CONTROL
PNEUMATIC

PRODUCT CODE: 66180510			PRODUCT CODE: 66180520			PRODUCT CODE: 66140440		
TIPPING VALVE 180lt CLOSED LOOP- 3 HOLES MOUNT			TIPPING VALVE 180lt CLOSED LOOP- 3 HOLES MOUNT			TIPPING VALVE 140lt SINGLE CONTROL/ PNEUMATIC		
FLOW RATE	WORKING PRESSURE	MAX. PRESSURE	FLOW RATE	WORKING PRESSURE	MAX. PRESSURE	FLOW RATE	WORKING PRESSURE	MAX. PRESSURE
180lt/m	200 bar	250 bar	180lt/m	200 bar	250 bar	140lt/m	170 bar	300 bar
WEIGHT: 9,5 KG			WEIGHT: 6,5 KG			WEIGHT: 5 KG		



TIPPING VALVE 140lt
CLOSED LOOP



TANK TYPE TIPPING VALVE
140lt CLOSED LOOP



DOUBLE OUTLET
VALVE 140lt (DIVERTER for TRAILER)

PRODUCT CODE: 66140450			PRODUCT CODE: 66140460			PRODUCT CODE: 66140470		
TIPPING VALVE 140lt CLOSED LOOP			TANK TYPE TIPPING VALVE 140lt CLOSED LOOP			DOUBLE OUTLET VALVE 140lt (DIVERTER for TRAILER)		
FLOW RATE	WORKING PRESSURE	MAX. PRESSURE	FLOW RATE	WORKING PRESSURE	MAX. PRESSURE	FLOW RATE	WORKING PRESSURE	MAX. PRESSURE
140lt/m	170 bar	190 bar	140lt/m	170 bar	190 bar	140lt/m	170 bar	190 bar
WEIGHT: 6 KG			WEIGHT: 7,5 KG			WEIGHT: 5 KG		



55149601

PRODUCT CODE	55149601
TORQUE	Nm479,7 kgm 48,9
POWER (kw)	25,7
SPEED (1000rpm)	513
MOUNTING TYPE	REAR-ISO
CONTROL	PNEUMATIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	3,5

GEARBOX TYPE: ZF 16S251-221-151-150-130- ZF S5/AK/6S-35,36,42, 50, 65, 66, 70, 80,90, 110, 111,120,150- ZF ECOMID 9S75-9S109- 16S109 ZF NEW ECOSPLIT 16S1620TD- 1820TO- 18S1820TD- 16S2220TD-16S220TO- 16S2520TO
USED TRUCKS: MAN/MERCEDES/ FORD CARGO/HINO/IVECO/DAF/ RENAULT

PRODUCT CODE	55149602	GEARBOX TYPE: ZF 16S251-221-151-150-130- ZF S5/AK/6S-35,36,42, 50, 65, 66, 70, 80,90, 110, 111,120,150- ZF ECOMID 9S75-9S109- 16S109 ZF NEW ECOSPLIT 16S1620TD- 1820TO- 18S1820TD- 16S2220TD-16S220TO- 16S2520TO USED TRUCKS: MAN/MERCEDES/ FORD CARGO/HINO/IVECO/DAF/ RENAULT
TORQUE	Nm260 kgm 26,5	
POWER (kw)	18,3	
SPEED (1000rpm)	675	
MOUNTING TYPE	REAR-ISO	
CONTROL	PNEUMATIC	
ROTATION	LEFT(CCW)	
WEIGHT(kg)	11	



55149602



55149603

PRODUCT CODE	55149603
TORQUE	Nm260 kgm 26,5
POWER (kw)	18,3
SPEED (1000rpm)	675
MOUNTING TYPE	REAR-ISO
CONTROL	PNEUMATIC
ROTATION	LEFT(CCW)
WEIGHT(kg)	11

GEARBOX TYPE: ZF ECOLITE 6 S 850(6,72)
USED TRUCKS: 8.163- 10.185-L -L160C - LE12.160-12.163-12.185-LE 18.220-225-230-240 MAN/ 518-522 PRO/ LF55-CF65-CF75 DAF/ ASHOK LEYLAND/ 815 ATEGO/ 28.280 MAN/ TGL 8.180-12.180

PRODUCT CODE	55149604	GEARBOX TYPE: ZF ECOLITE 5S-42(5,72) USED TRUCKS: 8.150- 8.153-10.153-10.163-10.185 MAN/ MB800-1215-1517 ATEGO/ LF45-170 DAF -45.120-130-150-160-50.130 LEYLAND DAF/ RENAULT S120.07- S120-08-135-370 MIDLUM302-304-306-313-317LEYLAND / MERCEDES VARIO 614-712-715-812-814-815
TORQUE	Nm145,2 kgm 14,8	
POWER (kw)	12,2	
SPEED (1000rpm)	650	
MOUNTING TYPE	SIDE MOUNT-UNI	
CONTROL	PNEUMATIC	
ROTATION	RIGHT(CW)	
WEIGHT(kg)	11	



55149604



55149605

PRODUCT CODE	55149605
TORQUE	Nm191 kgm 19,5
POWER (kw)	13,5
SPEED (1000rpm)	675
MOUNTING TYPE	SIDE MOUNT-UNI
CONTROL	PNEUMATIC
ROTATION	LEFT(CCW)
WEIGHT(kg)	11

GEARBOX TYPE: ZF 9 S 109(12,92)
USED TRUCKS: 8.150- 8.153-10.153-10.163-10.185 MAN/ MB800-1215-1517 ATEGO/ LF45-170 DAF -45.120-130-150-160-50.130 LEYLAND DAF/ RENAULT S120.07- S120-08-135-370 MIDLUM302-304-306-313-317LEYLAND / MERCEDES VARIO 614-712-715-812-814-815



55149606

PRODUCT CODE	55149606
TORQUE	Nm479,7 kgm 48,9
POWER (kw)	25,7
SPEED (1000rpm)	450
MOUNTING TYPE	REAR-ISO
CONTROL	PNEUMATIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	5

GEARBOX TYPE: ZF ECOMID 9 S 75(13,16/9,56)

USED TRUCKS: 2521-2524-3224 MERCEDES/617-620-622-625-822 BMC PRO/1824-2524-2524D-2534FORD CARGO/ 19.260-26.260-26.265-32.260 FARGO/ 55.150-55.180-55.210-55.230 DAF/ 823-923MERCEDES/ VOLVO FL 6

PRODUCT CODE	55149607
TORQUE	Nm260 kgm 26,5
POWER (kw)	18,3
SPEED (1000rpm)	650
MOUNTING TYPE	REAR-ISO
CONTROL	PNEUMATIC
ROTATION	LEFT(CCW)
WEIGHT(kg)	12

GEARBOX TYPE: ZF ECO-MID 9 S 75 (13,16/9,56)
USED TRUCKS: 2521-2524-3224 MERCEDES/617-620-622-625-822 BMC PRO/1824-2524-2524D-2534FORD CARGO/ 19.260-26.260-26.265-32.260 FARGO/ 55.150-55.180-55.210-55.230 DAF/ 823-923MERCEDES/ VOLVO FL 6



55149607



55149608

PRODUCT CODE	55149608
TORQUE	Nm479,7 kgm 48,9
POWER (kw)	25,7
SPEED (1000rpm)	520
MOUNTING TYPE	REAR-ISO
CONTROL	PNEUMATIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	5

GEARBOX TYPE: ZFECOMID9 S109 (12,91) /9S1310(9, 48)/16S109(13,31-13,41)
USED TRUCKS: 32.270MAN/827-832BMC PRO/3226-3227C-3227S-2527 FORD CARGO/1830-2530-3230C-3230S-3240-4030-4050 FORD CARGO/BMC270-280 / 19.360 MAN / 935 PRO

PRODUCT CODE	55149609
TORQUE	Nm260 kgm26,5
POWER (kw)	18,3
SPEED (1000rpm)	710
MOUNTING TYPE	REAR-ISO
CONTROL	PNEUMATIC
ROTATION	LEFT(CCW)
WEIGHT(kg)	12

GEARBOX TYPE: ZFECOMID9 S109 (12,91) /9S1310(9, 48)/16S109(13,31-13,41)
USED TRUCKS: 32.270MAN/827-832BMC PRO/3226-3227C-3227S-2527 FORD CARGO/1830-2530-3230C-3230S-3240-4030-4050 FORD CARGO/BMC270-280 / 19.360 MAN / 935 PRO



55149609



55149610

PRODUCT CODE	55149610
TORQUE	Nm479,7 kgm 48,9
POWER (kw)	25,7
SPEED (1000rpm)	450
MOUNTING TYPE	REAR-ISO
CONTROL	PNEUMATIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	5

GEARBOX TYPE: ZFECOMID9 S109 (12,92) /8S109(11, 35)/16S109(13,30-13,42)
USED TRUCKS: 17.192-17.232-18.220-19.270-25.270-26.230-26.270 MAN / 1827-2527-2626 FORDCARGO / 75.270-75.300 DAF/ LEYLAND DAF/ S18-S21-S24-S28-S29-S31 STEYR / BMC 270



55149611

PRODUCT CODE	55149611	GEARBOX TYPE: ZFECOMID9 S109 (12,92) /8S109(11, 35/16S109(13,30-13,42) USED TRUCKS: 17.192-17.232- 18.220-19.270-25.270-26.230-26.270 MAN / 1827-2527-2626 FORDCARGO / 75.270-75.300 DAF/ LEYLAND DAF/ S18-S21-S24-S28-S29-S31 STEYR / BMC 270
TORQUE	Nm260 kgm 265	
POWER (kw)	18,3	
SPEED (1000rpm)	650	
MOUNTING TYPE	REAR-ISO	
CONTROL	PNEUMATIC	
ROTATION	LEFT(CCW)	
WEIGHT(kg)	12	

PRODUCT CODE	55149612	GEARBOX TYPE: ZFECOMID16 S109 (3,53)/8S109(13,53/ 9S109(10,24-10,25 USED TRUCKS: 17.232-19.230- 19.340-26.342 MAN/2530-3226 FORD CARGO/ RENAULT PREMIUM 320.32- 370 AS 19.300-26.300-32.300-38.300 HI-EX FARGO ASKAM / ISUZU FTR 800 -FVR900 -FTM1200-FVZ1700/ 75.300 DAF/STEYR
TORQUE	Nm479,7 kgm 48,9	
POWER (kw)	25,7	
SPEED (1000rpm)	450	
MOUNTING TYPE	REAR-ISO	
CONTROL	PNEUMATIC	
ROTATION	RIGHT(CW)	
WEIGHT(kg)	5	



55149612



55149613

PRODUCT CODE	55149613	GEARBOX TYPE: ZFECOMID16 S109 (3,53)/8S109(13,53/ 9S109(10,24-10,25 USED TRUCKS: 17.232-19.230- 19.340-26.342 MAN/2530-3226 FORD CARGO/ RENAULT PREMIUM 320.32- 370 AS 19.300-26.300-32.300-38.300 HI-EX FARGO ASKAM / ISUZU FTR 800 -FVR900 -FTM1200-FVZ1700/ 75.300 DAF/STEYR
TORQUE	Nm260 kgm 26,5	
POWER (kw)	18,3	
SPEED (1000rpm)	650	
MOUNTING TYPE	REAR-ISO	
CONTROL	PNEUMATIC	
ROTATION	LEFTT(CCW)	
WEIGHT(kg)	12	

PRODUCT CODE	55149614	GEARBOX TYPE: ZFECOSPLIT 16 S151-181-221-251(13,80-13,85- 16,47-16,41-16,53 USED TRUCKS: 17.322-19.422-423- 426/ 26.310-372-373-422/32.310- 33.372 MAN/STRALIS430/ FE420A /FE19.420 / 14.463MAN/75.310- 85360-85330-85.400-95.500DAF/ RENAULT PREMIUM /KERAX IVECO / BMC/ DAF
TORQUE	Nm479,7 kgm 48,9	
POWER (kw)	25,7	
SPEED (1000rpm)	450	
MOUNTING TYPE	REAR-ISO	
CONTROL	PNEUMATIC	
ROTATION	RIGHT(CW)	
WEIGHT(kg)	5	



55149614



55149615

PRODUCT CODE	55149615	GEARBOX TYPE: ZFECOSPLIT 16 S151-181-221-251(13,80-13,85- 16,47-16,41-16,53 USED TRUCKS: 17.322-19.422-423- 426/ 26.310-372-373-422/32.310- 33.372 MAN/STRALIS430/ FE420A /FE19.420 / 14.463MAN/75.310- 85360-85330-85.400-95.500DAF/ RENAULT PREMIUM /KERAX IVECO / BMC/ DAF
TORQUE	Nm260 kgm 26,5	
POWER (kw)	18,3	
SPEED (1000rpm)	650	
MOUNTING TYPE	REAR-ISO	
CONTROL	PNEUMATIC	
ROTATION	LEFTT(CW)	
WEIGHT(kg)	12	



55149616

PRODUCT CODE	55149616	GEARBOX TYPE: ZFE- COSPLIT16 S130-150-160-190- 220(14,29-17,28-13,80-16,47 USED TRUCKS: 16.281-19.280- 19.422-25.372-26.231-26.280- 26.281-26.321-32.281-32.365-33.281 MAN/ 1935-2228-2433-2624-2628- 2633-3828-4028-26.35 MERCEDES SAURER / 33.300-95.330-95400 DAF
TORQUE	Nm479,7 kgm 48,9	
POWER (kw)	25,7	
SPEED (1000rpm)	450	
MOUNTING TYPE	REAR-ISO	
CONTROL	PNEUMATIC	
ROTATION	RIGHT(CW)	
WEIGHT(kg)	5	

PRODUCT CODE	55149617	GEARBOX TYPE: ZFE- COSPLIT16 S130-150-160-190- 220(14,29-17,28-13,80-16,47 USED TRUCKS: 16.281-19.280- 19.422-25.372-26.231-26.280- 26.281-26.321-32.281-32.365-33.281 MAN/ 1935-2228-2433-2624-2628- 2633-3828-4028-26.35 MERCEDES SAURER / 33.300-95.330-95400 DAF
TORQUE	Nm260 kgm 26,5	
POWER (kw)	18,3	
SPEED (1000rpm)	650	
MOUNTING TYPE	REAR-ISO	
CONTROL	PNEUMATIC	
ROTATION	LEFT(CCW)	
WEIGHT(kg)	12	



55149617



55149618

PRODUCT CODE	55149618	GEARBOX TYPE: ZF NEW ECOSPLIT16 S2521TO(13.80(INTERDAR) / 16S2221TO (16,41)-16S181IT(16,41)/16S222DD /16S2221TD USED TRUCKS: 14.463-39-390MAN TGA-TG-A18.460A-19.430MAN EU- ROPE 6x4 / 3300 DAF-85.330 DAF/ RENAULT PREMIUM440DXI/ IVECO 480 STRALIS
TORQUE	Nm479,7 kgm 48,9	
POWER (kw)	25,7	
SPEED (1000rpm)	450	
MOUNTING TYPE	REAR-ISO	
CONTROL	PNEUMATIC	
ROTATION	RIGHT(CW)	
WEIGHT(kg)	5	

PRODUCT CODE	55149619	GEARBOX TYPE: ZF NEW ECOSPLIT16 S2521TO(13.80(INTERDAR) / 16S2221TO (16,41)-16S181IT(16,41)/16S222DD /16S2221TD USED TRUCKS: 14.463-39-390MAN TGA-TG-A18.460A-19.430MAN EUROPE 6x4 / 3300 DAF-85.330 DAF/ RENAULT PREMIUM440DXI/ IVECO 480 STRALIS
TORQUE	Nm260 kgm 26,5	
POWER (kw)	18,3	
SPEED (1000rpm)	650	
MOUNTING TYPE	REAR-ISO	
CONTROL	PNEUMATIC	
ROTATION	LEFT(CCW)	
WEIGHT(kg)	12	



55149619



55248601

PRODUCT CODE	55248601	GEARBOX TYPE: GR 870-GR871 USED TRUCKS: P92-93-111-112C-113R - 114H-142M- 144L -93H 280 - R113 M SCANIA
TORQUE	Nm183 kgm 18,5	
POWER (kw)	20	
SPEED (1000rpm)	1000	
MOUNTING TYPE	SIDE MOUNT-UNI	
CONTROL	PNEUMATIC	
ROTATION	RIGHT(CW)	
WEIGHT(kg)	18,5	

PRODUCT CODE	55248602	GEARBOX TYPE: GRS 900-890-920 USED TRUCKS: 124 G420 -110-113-124 L400 -144L 530 -124 LA420 - 144LA460 - 144 LA 530 - R124 LA 420 - R 124 GA 420 - 143 H - 143 M - 143 ,400 - 143-450- 143,500- R580 +- R 124GA / CB-R 164 GA
TORQUE	Nm350 kgm 38,5	
POWER (kw)	20	
SPEED (1000rpm)	1065	
MOUNTING TYPE	SIDE MOUNT-ISO	
CONTROL	PNEUMATIC	
ROTATION	RIGHT(CW)	
WEIGHT(kg)	18,5	



55248602



55248603

PRODUCT CODE	55248603	GEARBOX TYPE: GR 900 - GRH900 USED TRUCKS: 94C 310- 124C360 - R124 GV 360- 124 G 360-143 H 450 CV- 143 M400CV -260 H - 143 HP 113M -9114GA 380- 114 P - 124 R 113 P - 114 R- 113 H360
TORQUE	Nm397 kgm 38,5	
POWER (kw)	21,85	
SPEED (1000rpm)	1065	
MOUNTING TYPE	SIDE MOUNT-UNI	
CONTROL	PNEUMATIC	
ROTATION	RIGHT(CW)	
WEIGHT(kg)	18,5	



55248604

PRODUCT CODE	55248604	GEARBOX TYPE: GRS 900-890-920 USED TRUCKS: 124 G420 -110-113-124 L400 -144L 530 -124 LA420 - 144LA460 - 144 LA 530 - R124 LA 420 - R 124 GA 420 - 143 H - 143 M - 143 ,400 - 143-450- 143,500- R580 +- R 124GA / CB-R 164 GA
TORQUE	Nm350 kgm 38,5	
POWER (kw)	20	
SPEED (1000rpm)	1065	
MOUNTING TYPE	SIDE MOUNT-UNI	
CONTROL	PNEUMATIC	
ROTATION	RIGHT(CW)	
WEIGHT(kg)	18,5	



55248605

PRODUCT CODE	55249605	GEARBOX TYPE: GR 875/GR 905/GRS895 /GRS0906/ GRS 906 USED TRUCKS: R 420 - HG 420 - HG 380
TORQUE	Nm436 kgm 44,6	
POWER (kw)	42	
SPEED (1000rpm)	1250	
MOUNTING TYPE	REAR-ISO	
CONTROL	PNEUMATIC	
ROTATION	LEFT(CCW)	
WEIGHT(kg)	24	



55447601

PRODUCT CODE	55447601	GEARBOX TYPE: R
TORQUE	Nm392,4 kgm 40	T011609-11613-11709-12709-14609 / MRT0/RTX
POWER (kw)	43,1	9509-9513-9710-11509-14613-15613-15615A/B/H
SPEED (1000rpm)	1050	USED TRUCKS: 19.361-26.321-26.240- 26.280MAN/180.24-280.26-190.26- 190.30- 190.35-42-198.38-240.36-330.26,35- 380E30 IVECO/ DAF85-2605-2800-2815-3030-3300-3330-3600
MOUNTING TYPE	BOTTOM - ISO	
CONTROL	PNEUMATIC	
ROTATION	RIGHT(CW)	
WEIGHT(kg)	18	

PRODUCT CODE	55447602	GEARBOX TYPE: RT011609-11613-11709-12709-14609 / MRT0/RTX
TORQUE	Nm392,4 kgm 40	9509-9513-9710-11509-14613-15613- 15615A/B/H
POWER (kw)	43,1	USED TRUCKS: 19.361-26.321-26.240- 26.280 MAN/180.24-280.26-190.26-190.30- 190.35-42- 198.38-240.36- 330.26,35-380E30 IVECO/ DAF85-2605-2800-2815-3030-3300-3330-3600
SPEED (1000rpm)	1050	
MOUNTING TYPE	BOTTOM - UNI	
CONTROL	PNEUMATIC	
ROTATION	RIGHT(CW)	
WEIGHT(kg)	18	



55447602



55447603

PRODUCT CODE	55449603	GEARBOX TYPE: RT011609-11613-11709-12709-14609 / MRT0/RTX
TORQUE	Nm259 kgm 26	9509-9513-9710-11509-14613-15613-15615A/B/H
POWER (kw)	25	USED TRUCKS: 19.361-26.321-26.240- 26.280MAN/180.24-280.26-190.26- 190.30-190.35-42- 198.38-240.36- 330.26,35-380E30 IVECO/ DAF85- 2605-2800-2815-3030-3300-3330-3600
SPEED (1000rpm)	900	
MOUNTING TYPE	REAR - ISO	
CONTROL	PNEUMATIC	
ROTATION	LEFT(CCW)	
WEIGHT(kg)	15	

PRODUCT CODE	55548601	GEARBOX TYPE: 475 SMD-SMR-SME-SML-CMR-CMD
TORQUE	Nm225,6 kgm 23	USED TRUCKS: 2014-2114 FORD CARGO / KAMAZ TRUCK / AS 600 DODGE / 1800 INTER/GENOTO 570
POWER (kw)	12	
SPEED (1000rpm)	500	
MOUNTING TYPE	SIDE - UNI	
CONTROL	PNEUMATIC	
ROTATION	LEFT(CCW)	
WEIGHT(kg)	12	



55548601



55548602

PRODUCT CODE	55548602	GEARBOX TYPE: 542-570-640 SMS,SMR,SMH,SMJ,CMA,CMR
TORQUE	Nm245,6 kgm 25	USED TRUCKS: 2114-2116-2517 FORD CARGO / BEDFORD GENOTO 1830 INTER /
POWER (kw)	16	
SPEED (1000rpm)	650	
MOUNTING TYPE	SIDE - UNI	
CONTROL	PNEUMATIC	
ROTATION	RIGHT(CW)	
WEIGHT(kg)	12	



55548603

PRODUCT CODE	55548603
TORQUE	Nm206,6 kgm 21
POWER (kw)	9
SPEED (1000rpm)	375
MOUNTING TYPE	SIDE - UNI
CONTROL	PNEUMATIC
ROTATION	LEFT(CCW)
WEIGHT(kg)	12

GEARBOX TYPE: FS/
FSO/H/V/4106-5206 A/B/H
USED TRUCKS: 2520 FORD CARGO/
AS950 CHRSYLER/180,12-210-
220CD-320 MIDLUM RENAULT /
FODEN 2000/ ERF E6,18- 1415-1718
FORD / 8,224-18,224 MAN

PRODUCT CODE	55548604	GEARBOX TYPE: FS/ FSO/ H/V/6109-6209-8209-8309 A/B USED TRUCKS: 2520L-2621 FORD CARGO /522-822-620 BMC 280/ FODEN 3000/ 26.234-26.264-26.284 MAN 6x2 EURO / SEDDON 211/ NISSAN CPC 16/ RENAULT MIDLUM 270 / TATA LPTA 1621 TC6X6-LPS 4021TC
TORQUE	Nm260 kgm 26,5	
POWER (kw)	18	
SPEED (1000rpm)	675	
MOUNTING TYPE	SIDE - UNI	
CONTROL	PNEUMATIC	
ROTATION	LEFT(CCW)	
WEIGHT(kg)	12	



55548604



55548605

PRODUCT CODE	55548605
TORQUE	Nm191 kgm 19
POWER (kw)	12
SPEED (1000rpm)	600
MOUNTING TYPE	S DE UN
CONTROL	PNEUMAT C
ROTATION	R GHT(CW)
WEIGHT(kg)	15

GEARBOX TYPE: FS/5005-5205 A/B/
USED TRUCKS: AS 950SUPER -
14181419-1519-1617-1618 FORD
CARGO

PRODUCT CODE	55549606	GEARBOX TYPE: FS/ FSO/H/V/4106-5206 A/B/H USED TRUCKS: 2520 FORD CARGO/ AS950 CHRSYLER/180,12-210- 220CD-320 MIDLUM RENAULT / FODEN 2000/ ERF E6,18- 1415-1718 FORD / 8,224-18,224 MAN
TORQUE	Nm260 kgm 26,5	
POWER (kw)	18	
SPEED (1000rpm)	675	
MOUNTING TYPE	REAR - ISO	
CONTROL	PNEUMATIC	
ROTATION	LEFT(CCW)	
WEIGHT(kg)	11	



55548606



55549607

PRODUCT CODE	55549607
TORQUE	Nm260 kgm 26,5
POWER (kw)	18
SPEED (1000rpm)	675
MOUNTING TYPE	REAR - ISO
CONTROL	PNEUMATIC
ROTATION	LEFT(CCW)
WEIGHT(kg)	12

GEARBOX TYPE: FS/ FSO/
H/V/6109-6209-8209-8309 A/B
USED TRUCKS: 2520L-2621 FORD
CARGO /522-822-620 BMC 280/
FODEN 3000/ 26.234-26.264-26.284
MAN 6x2 EURO / SEDDON 211/
NISSAN CPC 16/ RENAULT MIDLUM
270 / TATA LPTA 1621 TC6X6-LPS
4021TC



55649601

PRODUCT CODE	55649601	GEARBOX TYPE: G3/ 32,36,40,45, 50,55, 60 ,61 USED TRUC:KS: 315-352-362- 383-609-710-712-809-812-813- 814-817-913-1017-1113-1114- 1213-1216-1318- 1618 MERCEDES
TORQUE	Nm219 kgm 22	
POWER (kw)	14	
SPEED (1000rpm)	600	
MOUNTING TYPE	REAR - ISO	
CONTROL	PNEUMATIC	
ROTATION	RIGHT(CW)	
WEIGHT(kg)	11	

PRODUCT CODE	55649602
TORQUE	Nm230,5 kgm 23,5
POWER (kw)	12
SPEED (1000rpm)	500
MOUNTING TYPE	REAR - ISO
CONTROL	PNEUMATIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	10

GEARBOX TYPE: G100
USED TRUCKS:1528-1823-1828-
1924-2523-2528-2623-2628-2832-
3224-3228 AXOR / 1223-1323-1523-
1328-1828-2528-2628 ATEGO



55649602



55649603

PRODUCT CODE	55649603	GEARBOX TYPE: G131-9/16,02 / G210- 211 / 240,260-16 /1703/ G 221-9/16,02 USED TRUCKS: 1628-1835-1840- 1841-1843-1846-1858-2535-3028- 3228-3235-3326-4040-4141-4148- 1831-1833-1834-2040-2540-2543- 2553-2640-3225-3235-3236-3340- 3344-4038-4140-4143-2640 CL- 2640LC-4041-4148 AXOR MERCEDES
TORQUE	Nm230,5 kgm 23,5	
POWER (kw)	12	
SPEED (1000rpm)	500	
MOUNTING TYPE	REAR - ISO	
CONTROL	PNEUMATIC	
ROTATION	RIGHT(CW)	
WEIGHT(kg)	9	

PRODUCT CODE	55649604
TORQUE	Nm230,5 kgm 23,5
POWER (kw)	12
SPEED (1000rpm)	675
MOUNTING TYPE	REAR - ISO
CONTROL	PNEUMATIC
ROTATION	LEFT(CCW)
WEIGHT(kg)	15

GEARBOX TYPE: G131-9/16,02 /
G210-211 / 240,260-16 /1703/
G 221-9/16,02
USED TRUCKS:1628-1835-1840-
1841-1843-1846-1858-2535-3028-
3228-3235-3326-4040-4141-4148-
1831-1833-1834-2040-2540-2543-
2553-2640-3225-3235-3236-3340-
3344-4038-4140-4143-2640 CL-
2640LC-4041-4148 AXOR MERCEDES



55649604



55649605

PRODUCT CODE	55649605	GEARBOX TYPE: G4/GV4 65,90, 95,110,125,135,155,180 USED TRUCKS: 1222-1224-1417 -1419-1617-1619-1620-1722-1733 -1817-1820-1821-1827-1831-1922 -2232-2517-2521-2527-3027-1424 -1628-1820-1824-1929-1935-1948 -2024-2222-2426-2524-2622-2629 -2635 MERCEDES
TORQUE	Nm230,5 kgm 23,5	
POWER (kw)	12	
SPEED (1000rpm)	500	
MOUNTING TYPE	REAR - ISO	
CONTROL	PNEUMATIC	
ROTATION	RIGHT(CW)	
WEIGHT(kg)	6	



55649606

PRODUCT CODE	55649606
TORQUE	Nm230,5 kgm 23,5
POWER (kw)	12
SPEED (1000rpm)	500
MOUNTING TYPE	REAR - ISO
CONTROL	PNEUMATIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	11

GEARBOX TYPE: G125-210-135-211-155-221-180-240-200-255-260
USED TRUCKS: 1729-1735-1827-1834-1838-1929-1935-2038-2429-2435-2527-2531-2534-2629-2631-2635-2638-3229-3234-3534-3535-1831-1835-1840-1844-1848-1934-1953-2044-2050-2644-3031-3234-3331-4148 ACTROSS MERCEDES

PRODUCT CODE	55649607
TORQUE	Nm230,5 kgm 23,5
POWER (kw)	12
SPEED (1000rpm)	500
MOUNTING TYPE	REAR - ISO
CONTROL	PNEUMATIC
ROTATION	LEFT(CCW)
WEIGHT(kg)	14

GEARBOX TYPE: G125-210-135-211-155-221-180-240-200-255-260
USED TRUCKS: 1729-1735-1827-1834-1838-1929-1935-2038-2429-2435-2527-2531-2534-2629-2631-2635-2638-3229-3234-3534-3535-1831-1835-1840-1844-1848-1934-1953-2044-2050-2644-3031-3234-3331-4148 ACTROSS MERCEDES



55649607



55748601

PRODUCT CODE	55748601
TORQUE	Nm147 kgm 15
POWER (kw)	33
SPEED (1000rpm)	300
MOUNTING TYPE	SIDE - UNI
CONTROL	PNEU. - MECH.
ROTATION	RIGHT(CW)
WEIGHT(kg)	10

GEARBOX TYPE: 2828.5/2831.5/28028/ 28031
USED TRUCKS: 39,9-65,9-35NC-50NC- 50,9-50,11 IVECO

PRODUCT CODE	55748602
TORQUE	Nm188 kgm 19,2
POWER (kw)	15,9
SPEED (1000rpm)	630
MOUNTING TYPE	SIDE - UNI
CONTROL	PNEUMATIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	16

GEARBOX TYPE: 2845,6-2855,6
USED TRUCKS: IVECO60,10-60,12-75,14-80,14-80,12-85,14-120,14-140,14-150,14-130E15-150E21-220E21-60,14-65R12-65E14-75,12-75E14-75E15-80E15-80E18-85E13-85E15-100E15-100E18-130E15-130E18 (SINGLE GEAR)



55748602



55748603

PRODUCT CODE	55748603
TORQUE	Nm188 kgm 19,2
POWER (kw)	15,9
SPEED (1000rpm)	630
MOUNTING TYPE	SIDE - UNI
CONTROL	PNEUMATIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	16

GEARBOX TYPE: 2845,6-2855,6
USED TRUCKS: IVECO60,10-60,12-75,14-80,14-80,12-85,14-120,14-140,14-150,14-130E15-150E21-220E21-60,14-65R12-65E14-75,12-75E14-75E15-80E15-80E18-85E13-85E15-100E15-100E18-130E15-130E18 (DOUBLE GEAR)



55858601

PRODUCT CODE	55858601
TORQUE	Nm207 kgm 21
POWER (kw)	7,5
SPEED (1000rpm)	350
MOUNTING TYPE	SIDE - UNI
CONTROL	MECHANIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	9

GEARBOX TYPE: MO 15 S5
USED TRUCKS: FE 511- 711
MITSUBISHI

PRODUCT CODE	55858602
TORQUE	Nm207 kgm 21
POWER (kw)	7,5
SPEED (1000rpm)	350
MOUNTING TYPE	SIDE - UNI
CONTROL	MECHANIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	9

GEARBOX TYPE: MO 25 S5
USED TRUCKS: 635 FE- 515FE- 519
FE- FE 534- FE 544- FB 634-
FE 639 C - 839 - 859 G - MITSUBISHI



55858602



55858603

PRODUCT CODE	55858603
TORQUE	Nm237 kgm24
POWER (kw)	8,5
SPEED (1000rpm)	350
MOUNTING TYPE	SIDE - UNI
CONTROL	MECHANIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	9

GEARBOX TYPE: MO 35 S5- MO 35 T3
USED TRUCKS: FE 649- 659- FE 859
E - MITSUBISHI / FE150 C1- 150E1-
FE150- E2 CANTER

PRODUCT CODE	55858604
TORQUE	Nm178 kgm 18
POWER (kw)	7
SPEED (1000rpm)	375
MOUNTING TYPE	SIDE - UNI
CONTROL	MECHANIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	9

GEARBOX TYPE: M1 S5/M2S5/M3S5
USED TRUCKS: 444-449
MITSUBISHI CANTER



55858604



55858605

PRODUCT CODE	55858605
TORQUE	Nm182 kgm18
POWER (kw)	11
SPEED (1000rpm)	600
MOUNTING TYPE	SIDE - UNI
CONTROL	MECHANIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	12

GEARBOX TYPE: 07 L 108-LE05
S/ LH 06S
USED TRUCKS: HINO L100-FB112 SA



55958601

PRODUCT CODE	55958601
TORQUE	Nm178 kgm 18
POWER (kw)	11
SPEED (1000rpm)	600
MOUNTING TYPE	SIDE - UNI
CONTROL	MECHANIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	12

GEARBOX TYPE:MSA-5B/MSA-5G/SMA-SP/MSA-SP/MSA-5D
USED TRUCKS:KS11- KS20- KS21- KS32-8,8 WIDE DIESEL NKR 55L / 3.3 IRAN ISUZU / NKR-NHR-NPR 3.6 - 3.9 ISUZU

PRODUCT CODE	55958602
TORQUE	Nm178 kgm 18
POWER (kw)	11
SPEED (1000rpm)	600
MOUNTING TYPE	SIDE - UNI
CONTROL	MECHANIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	12

GEARBOX TYPE:MXA-5R/MXA-6R/ MXA-5S/ MXA-5C/ MSA-5D/MXA-5D/ MSA-5S
USED TRUCKS:NKR WIDE LX100 HP- 4.3 NPR CHAMPION ISUZU/3.2 NPR/ NPR66/ NHR70/NKR66 / NKR66E/ NPR66P /NPR300-400-400S- FRR500-/ ISUZU ELF250



55958602



55958603

PRODUCT CODE	55958603
TORQUE	Nm178 kgm 18
POWER (kw)	11
SPEED (1000rpm)	600
MOUNTING TYPE	SIDE - UNI
CONTROL	MECHANIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	12

GEARBOX TYPE:MOY-9F-MOY-9H/ MOYCR/MYY-5T/MYY-6P/MYY-A
USED TRUCKS:4.3NPR 66- 71-75-77-ISUZU CHAMPI- ON(2005-2006 MODEL) /NKR 250 / NPR250/NKR66E2L/ 4.3 NPR70/ NKR 66E/ NPR66P/ NQR71R ISUZU

PRODUCT CODE	55958604
TORQUE	Nm178 kgm 18
POWER (kw)	11
SPEED (1000rpm)	600
MOUNTING TYPE	SIDE - UNI
CONTROL	MECHANIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	12

GEARBOX TYPE:M 153
USED TRUCKS:DAIHATSUZ DELTA- TOYOTA



55958604



55958605

PRODUCT CODE	55958605
TORQUE	Nm450 kgm 46
POWER (kw)	42
SPEED (1000rpm)	1100
MOUNTING TYPE	SIDE - UNI
CONTROL	PNEUMATIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	19

GEARBOX TYPE:MJX16P
USED TRUCKS: ISUZU EXZ - Gigamax EXY 510 ISUZU -CHEVROLET EXZ



55248601

PRODUCT CODE	55248601
TORQUE	Nm296 kgm 30,2
POWER (kw)	28,8
SPEED (1000rpm)	1070
MOUNTING TYPE	SIDE - ISO
CONTROL	PNEUMATIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	18

GEARBOX TYPE:B9/ B18/B18200 L42
USED TRUCKS:RENAULT(R.V.I)
 G340TI MAXTER 280-340-385-400
 PREMIUM / 430-470 MAGNUM
 INTEGRAL

PRODUCT CODE	55248602
TORQUE	Nm296 kgm 30,2
POWER (kw)	28,8
SPEED (1000rpm)	1070
MOUNTING TYPE	REAR - ISO
CONTROL	PNEUMATIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	12

GEARBOX TYPE:RENAULT
USED TRUCKS:RENAULT
 440 AUTOMATIC



55248602



55108601

PRODUCT CODE	55108601
TORQUE	Nm235 kgm 24
POWER (kw)	16,6
SPEED (1000rpm)	700
MOUNTING TYPE	REAR- ISO
CONTROL	PNEUMATIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	8

GEARBOX TYPE:SR 62-R61-
 R62-R6/R/MR/SR61,62/MR62B
USED TRUCKS:F 7 - F 10 - F 12- F
 88- F 89- F1020- F 1225 - N10 - N 12
 VOLVO

PRODUCT CODE	55108602
TORQUE	Nm235 kgm 24
POWER (kw)	16,6
SPEED (1000rpm)	500
MOUNTING TYPE	REAR- ISO
CONTROL	PNEUMATIC
ROTATION	RIGHT(CW)
WEIGHT(kg)	9

GEARBOX TYPE:SR 1400-1700-
 1900-2000 -2400-SR02400-
 VT2014-2412-2514 OD
USED TRUCKS:FL10 320 -NL12-
 FH16 520 - FH 12 420 - FM 12- FH 12
 - FH 16- FM 10- FM 12- FL616 - FLF
 - F10 - FL10 -FL12 - F16 - N10 - N 12
 - FL7 -NL12 - VOLVO (SINGLE GEAR)



55108602



55108603

PRODUCT CODE	55108603
TORQUE	Nm235 kgm 24
POWER (kw)	16,6
SPEED (1000rpm)	680
MOUNTING TYPE	REAR- ISO
CONTROL	PNEUMATIC
ROTATION	LEFFT(CCW)
WEIGHT(kg)	14

GEARBOX TYPE:SR 1400-1700-
 1900-2000 -2400-SR02400-
 VT2014-2412-2514 OD
USED TRUCKS:FL10 320 -NL12- FH16
 520 - FH 12 420 - FM 12- FH 12 - FH
 16- FM 10- FM 12- FL616 - FLF - F10
 - FL10 -FL12 - F16 - N10 - N 12 - FL7
 -NL12 - VOLVO (DOUBLE GEAR)

CARDAN SHAFTS

CARDAN SHAFTS



ZF 9 S 75

PRODUCT CODE: 56149501
ZF 9 S 75
WEIGHT: 4 KG



ZF 9 S 109 RT:12,91

PRODUCT CODE: 56149502
ZF 9 S 109 RT:12,91
WEIGHT: 4 KG



ZF 9 S 109 RT:12,92

PRODUCT CODE: 56149503
ZF 9 S 109 RT:12,92
WEIGHT: 4 KG



ZF 16 S 109 RT:13,53

PRODUCT CODE: 56149504
ZF 16 S 109 RT:13,53
WEIGHT: 4 KG



ZF 16 K 130

PRODUCT CODE: 56149505
ZF 16 K 130
WEIGHT: 2 KG



ZF 16 K 160

PRODUCT CODE: 56149506
ZF 16 K 160
WEIGHT: 2 KG



ZF 16 S 151

PRODUCT CODE: 56149507
ZF 16 S 151
WEIGHT: 2 KG



ZF 16 S 221

PRODUCT CODE: 56149508
ZF 16 S 221
WEIGHT: 2 KG



ZF 16 S 251

PRODUCT CODE: 56149509
ZF 16 S 251
WEIGHT: 2,5 KG



RETARDER CARDAN
SHAFT

PRODUCT CODE: 56149510
RETARDER CARDAN SHAFT
WEIGHT: 3 KG



ACTROSS CARDAN
SHAFT-LONG

PRODUCT CODE: 56149511
ACTROSS CARDAN SHAFT-LONG
WEIGHT: 2,5 KG



ACTROSS CARDAN
SHAFT-SHORT

PRODUCT CODE: 56149512
ACTROSS CARDAN SHAFT-SHORT
WEIGHT: 2 KG



OIL TANK SIDE MOUNTED

OIL TANK SIDE MOUNTED					
PRODUCT CODE	TANK VOLUME(lt)	WORKING VOLUME(lt)	A(mm)	B(mm)	C(mm)
77202080	80	65	40	50	40
77202100	100	80	40	50	50
77202120	120	100	40	50	60
77202160	160	140	50	64	50
77202190	190	160	50	64	60
77202210	210	180	61	70	50
77202256	256	230	61	70	60

OIL TANK REAR CUB					
PRODUCT CODE	TANK VOLUME(lt)	WORKING VOLUME(lt)	A(mm)	B(mm)	C(mm)
77102065	65	55	25	51	52
77102095	95	75	25	51	73
77102105	105	90	25	51	84
77102120	120	100	25	51	95
77102155	155	135	31	51	100
77102175	175	150	31	51	113
77102200	200	180	31	51	125
77102220	220	190	40	50	110
77102225	225	190	32	65	110
77102264	264	230	40	60	110
77102285	285	250	40	60	120



OIL TANK REAR CUB



ALIMINIUM OIL TANK
SIDE MOUNTED

ALIMINIUM OIL TANK SIDE MOUNTED					
PR DUCT CODE	TANK VOLUME(lt)	WORKING VOLUME(lt)	A(mm)	B(mm)	C(mm)
77203080	80	65	40	50	40
77203100	100	80	40	50	50
77203120	120	100	40	50	60
77203160	160	140	56	64	50
77203190	190	160	56	64	60
77203207	207	180	62	67	50
77203250	250	220	62	67	60
77203294	294	270	70	70	60

ALIMINIUM OIL TANK REAR CUB					
PRODUCT CODE	TANK VOLUME(lt)	WORKING VOLUME(lt)	A(mm)	B(mm)	C(mm)
77103135	135	120	32	65	65
77103145	145	115	40	50	79
77103160	160	130	40	50	89
77103180	180	150	40	50	98
77103185	185	170	32	65	90
77103203	203	170	40	50	110
77103228	228	205	32	65	110
77103260	260	235	32	65	125



ALIMINIUM OIL TANK
REAR CUB

HYDRAULIC HOSES

HYDRAULIC HOSES



SUCTION HOSE R1

SUCTION HOSE R1					
LENGTH (mm)	3/4"	1 "	1 1/4"	1 1/2"	2"
1000	88503401	88501001	88501401	88501201	88502001
1500	88503402	88501002	88501402	88501202	88502002
2000	88503403	88501003	88501403	88501203	88502003
2500	88503404	88501004	88501404	88501204	88502004
3000	88503405	88501005	88501405	88501205	88502005
3500	88503406	88501006	88501406	88501206	88502006

SUCTION HOSE R4

LENGTH (mm)	3/4"	1 "	1 1/4"	1 1/2"	2"
1000	88553401	88551001	88551401	88551201	88552001
1500	88553402	88551002	88551402	88551202	88552002
2000	88553403	88551003	88551403	88551203	88552003
2500	88553404	88551004	88551404	88551204	88552004
3000	88553405	88551005	88551405	88551205	88552005
3500	88553406	88551006	88551406	88551206	88552006



SUCTION HOSE R4

PRESSURE HOSE R2 - 90° ELBOW - STRAIGHT

LENGTH (mm)	3/4"	1 "	1 1/4"	1 1/2"	2"
1000	88603401	88601001	88601401	88601201	88602001
1500	88603402	88601002	88601402	88601202	88602002
2000	88603403	88601003	88601403	88601203	88602003
2500	88603404	88601004	88601404	88601204	88602004
3000	88603405	88601005	88601405	88601205	88602005
3500	88603406	88601006	88601406	88601206	88602006



PRESSURE HOSE R2 90°
ELBOW - STRAIGHT

PRESSURE HOSE R2 - STRAIGHT - STRAIGHT

LENGTH (mm)	3/4"	1 "	1 1/4"	1 1/2"	2"
1000	88653401	88651001	88651401	88651201	88652001
1500	88653402	88651002	88651402	88651202	88652002
2000	88653403	88651003	88651403	88651203	88652003
2500	88653404	88651004	88651404	88651204	88652004
3000	88653405	88651005	88651405	88651205	88652005
3500	88653406	88651006	88651406	88651206	88652006



PRESSURE HOSE R2
STRAIGHT - STRAIGHT

PRESSURE HOSE R2 - 90° ELBOW - 90° ELBOW

LENGTH (mm)	3/4"	1 "	1 1/4"	1 1/2"	2"
1000	88703401	88701001	88701401	88701201	88702001
1500	88703402	88701002	88701402	88701202	88702002
2000	88703403	88701003	88701403	88701203	88702003
2500	88703404	88701004	88701404	88701204	88702004
3000	88703405	88701005	88701405	88701205	88702005
3500	88703406	88701006	88701406	88701206	88702006



PRESSURE HOSE R2
90° ELBOW - 90° ELBOW



OIL INDICATOR

OIL INDICATOR	
PRODUCT TYPE	PRODUCT CODE
76 mm	88100050
127mm	88100051



FILTER FLANGE

FILTER FLANGE	
PRODUCT TYPE	PRODUCT CODE
OVAL	88100059



RETURN FILTER

RETURN FILTER	
PRODUCT TYPE	PRODUCT CODE
110 lt	88100052
150 lt	88100053



FILTER FLANGE

FILTER FLANGE	
PRODUCT TYPE	PRODUCT CODE
SQUARE	88100060



RETURN FILTER

RETURN FILTER	
PRODUCT TYPE	PRODUCT CODE
240 lt	88100054
260 lt	88100055



FILTER CONNECTION

FILTER CONNECTION	
PRODUCT TYPE	PRODUCT CODE
**	88100061



FILLER CUP

FILLER CUP	
PRODUCT TYPE	PRODUCT CODE
FILLER CUP	88100056



BALL VALVE

BALL VALVE	
PRODUCT TYPE	PRODUCT CODE
R 1/2"	88100062
R 3/4"	88100063
R 1"	88100064
R 1 1/4"	88100065
R 1 1/2"	88100066
R 2"	88100067



TANK RUBBER KIT

TANK RUBBER KIT	
PRODUCT TYPE	PRODUCT CODE
55x13x20	88100057
55x13x30	88100058



HOSE CLIP

HOSE CLIP	
PRODUCT TYPE	PRODUCT CODE
Ø 44-Ø 46	88100068
Ø 47-Ø 51	88100069
Ø 52 -Ø 55	88100070
Ø 56-Ø 61	88100071
Ø 62-Ø 66	88100072
Ø 74-Ø 83	88100073

MOUNTING EQUIPMENTS

ACCESSORIES

HOSE PILLAR ELBOW 90°	
PRODUCT TYPE	PRODUCT CODE
R 1 1/2"	88100075
R 2"	88100076



HOSE PILLAR ELBOW 90°

HOSE PILLAR ELBOW 90°	
PRODUCT TYPE	PRODUCT CODE
R 1"	88100099
R 1 1/4"	88100100
R 1 1/2"	88100101
R 2"	88100102



HOSE PILLAR ELBOW 90°

HOSE PILLAR STRAIGHT	
PRODUCT TYPE	PRODUCT CODE
R 1" - Ø 32	88100077
R 1 1/4" - Ø 39	88100078
R 1 1/2" - Ø 45	88100079
R 2" - Ø 51	88100080



HOSE PILLAR STRAIGHT

HOSE PILLAR STRAIGHT	
PRODUCT TYPE	PRODUCT CODE
R 3/4" - Ø 32	88100103
R 1" - Ø 39	88100104
R 1 1/4" - Ø 45	88100105
R 1 1/2" - Ø 51	88100106



HOSE PILLAR STRAIGHT

QUICK COUPLING	
PRODUCT TYPE	PRODUCT CODE
R 3/4"	88100081
R 1"	88100082
R 1 1/4"	88100083
R 1 1/2"	88100084
R 2"	88100085



QUICK COUPLING

HOSE CLIP(PLASTIC)	
PRODUCT TYPE	PRODUCT CODE
Ø 27	88100107
Ø 34	88100108



HOSE CLIP (PLASTIC)

FITTING (UNF)	
PRODUCT TYPE	PRODUCT CODE
R 1" - 5/8 UNF	88100086
R 1" - 1 1/16 UNF	88100087
R 3/4" - 7/8 UNF	88100088
R 1/2" - 5/8 UNF	88100089
R 1" - 1 5/16 UNF	88100090
R 1" - 5/8 UNF	88100091
R 3/4" - 1 1/16 UNF	88100092
R 1/2" - 7/8 UNF	88100093



FITTING

FITTING	
PRODUCT TYPE	PRODUCT CODE
R 3/4" - R 3/4"	88100109
R 1" - R 1"	88100110
R 1 1/4" - R 1 1/4"	88100111
R 1 1/2" - R 1 1/2"	88100112
R 2" - R 2"	88100113



FITTING

FITTING	
PRODUCT TYPE	PRODUCT CODE
R 2" - R 1 1/2"	88100098



FITTING

FITTING (UNF)	
PRODUCT TYPE	PRODUCT CODE
R 1" - 1 5/16 UNF	88100114
R 3/4" - 1 1/16 UNF	88100115



FITTING (UNF)



FITTING (UNF)

FITTING (UNF)	
PRODUCT TYPE	PRODUCT CODE
R 1"-1 5/16 UNF	88100116
R 3/4"-1 1/16 UNF	88100117



FITTING ELBOW 90°

FITTING ELBOW 90°	
PRODUCT TYPE	PRODUCT CODE
5/8 UNF-5/8 UNF	88100135
7/8 UNF-7/8 UNF	88100136
1 1/16 UNF-1 1/16 UNF	88100137
1 5/16 UNF-1 5/16 UNF	88100138



REDUCER

REDUCER	
PRODUCT TYPE	PRODUCT CODE
R 3/4"-R 1/2"	88100118
R 1"-R 3/4"	88100119
R 1 1/4"-R 1 "	88100120
R 1 1/2"-R 1 1/4"	88100121
R 1 3/4"-R 1 1/4"	88100122
R 2"-R 1 1/4"	88100123
R 2"-R 1 1/2"	88100124



FITTING INCREASER

FITTING INCREASER	
PRODUCT TYPE	PRODUCT CODE
R 1 1/4"-R 1"	88100139
R 1"-R 3/4"	88100140



FITTING "T" NUT

FITTING "T" NUT	
PRODUCT TYPE	PRODUCT CODE
5/8 UNF	88100125
7/8 UNF	88100126
1 1/16 UNF	88100127
1 5/16 UNF	88100128



FITTING FEMALE

FITTING FEMALE	
PRODUCT TYPE	PRODUCT CODE
R 3/8"	88100141
R 1/2"	88100142
R 3/4"	88100143
R 1 "	88100144



FITTING "T" MALE

FITTING "T" MALE	
PRODUCT TYPE	PRODUCT CODE
5/8 UNF	88100129
7/8 UNF	88100130
1 1/16 UNF	88100131
1 5/16 UNF	88100132



FITTING FOR TIPPING VALVE

FITTING FOR TIPPING VALVE	
PRODUCT TYPE	PRODUCT CODE
R 1"-REVERSE	88100145



FITTING FOR TIPPING VALVE

FITTING FOR TIPPING VALVE	
PRODUCT TYPE	PRODUCT CODE
R 1"-1 5/16 UNF	88100133
R 3/4"-1 1/16 UNF	88100134



BLIND PLUG

BLIND PLUG	
PRODUCT TYPE	PRODUCT CODE
R 1/4"	88100146
R 1/2"	88100147
R 3/4"	88100148
R 1"	88100149
R 1 1/4"	88100150

MOUNTING EQUIPMENTS

ACCESSORIES

WASHER	
PRODUCT TYPE	PRODUCT CODE
R 3/8"	88100151
R 3/4"	88100152
R 1"	88100153
R 1 1/4"	88100154



FITTING

WASHER WITH SEAL	
PRODUCT TYPE	PRODUCT CODE
R 3/8"	88100165
R 1/2"	88100166
R 3/4"	88100167
R 1"	88100168
R 1 1/4"	88100169
R 1 1/2"	88100170
R 2"	88100171



WASHER WITH SEAL

AIR HOSE -Ø6	
PRODUCT TYPE	PRODUCT CODE
10 mt	88100155
15 mt	88100156
20 mt	88100157
25 mt	88100158
30 mt	88100159
35 mt	88100160



AIR HOSE Ø6

AIR FITTING "T"	
PRODUCT TYPE	PRODUCT CODE
M12	88100172
R 1/4	88100173
R 1/8	88100174



AIR FITTING "T"

AIR FITTING ELBOW	
PRODUCT TYPE	PRODUCT CODE
M12	88100161
R 1/4	88100162
R 1/8	88100163



AIR FITTING ELBOW

AIR FITTING STRAIGHT	
PRODUCT TYPE	PRODUCT CODE
M12-Ø 6	88100175
R 1/4-Ø 6	88100176
R 1/8-Ø 6	88100177
M12-Ø 8	88100178
R 1/4-Ø 8	88100179
R 1/8-Ø 8	88100180



AIR FITTING STRAIGHT

AIR HOSE KIT WITH PNEUMATIC FITTING	
PRODUCT TYPE	PRODUCT CODE
FULL KIT	88100164



AIR HOSE KIT WITH PNEUMATIC FITTING



PRODUCT CODE: 66250200
LIMIT CONTROL VALVE
CLOSED LOOP (END OF STROKE)



PRODUCT CODE: 66250290
ELECTRIC TIPPING CONTROL
(CAB CONTROL)



PRODUCT CODE: 661250210
LIMIT CONTROL VALVE
OPEN LOOP (END OF STROKE)



PRODUCT CODE: 66250230
PNEUMATIC TIPPING
CONTROL (CAB CONTROL
JOYSTICK)



PRODUCT CODE: 66250220
LIMIT CONTROL VALVE
PNEUMATIC (END OF STROKE)

VALVES & SWITCH

VALVES & SWITCH



PRODUCT CODE: 66250240
PNEUMATIC TIPPING
CONTROL (CAB CONTROL)
4-WAY



PRODUCT CODE: 66250250
PNEUMATIC TIPPING CONTROL
(CAB CONTROL) - 3-WAY




PRODUCT CODE: 66250260
PNEUMATIC TIPPING CONTROL
(CAB CONTROL) - 2-WAY



PRODUCT CODE: 66250270
PNEUMATIC TIPPING CONTROL
(CAB CONTROL) - 1-WAY



PRODUCT CODE: 66100775
6x6 COUPLING



PRODUCT CODE: 66100720
ISO ADAPTER
4x3 ADAPTER



PRODUCT CODE: 66100710
UNI ADAPTER
3x4 ADAPTER



PRODUCT CODE: 66100740
ISO ADAPTER
WITH FLANGE



PRODUCT CODE: 66100730
UNIVERSAL ADAPTER
4x4 ADAPTER



PRODUCT CODE: 66250280
MECHANIC P.T.O CONTROL
WITH CABLE



PRODUCT CODE: 66100760
1300 FLANGE
(8 TEETH)



PRODUCT CODE: 66100765
1120 FLANGE
(8 TEETH)



PRODUCT CODE: 66100750
1300 FLANGE
(6 TEETH)



PRODUCT CODE: 66100755
1120 FLANGE
(6 TEETH)



PRODUCT CODE: 66100770
6x8 COUPLING





Sadrettin YILDIZ



TSEK

Fevzi Çakmak Mah. Kenitra Cad.6/D Karatay / KONYA

Tel : +90.332 **345 05 15** Fax : +90.332 **345 05 16**

e-mail : batuhan191@gmail.com